Fortis 4 Notes Dual

Fortis 4 Notes Dual

SOFTWARE FEATURES:

- PCI compliant
- REACH™ remote monitoring and management
- Real time cash/coin level monitoring
- Reporting – standard or custom
- Lane and/or clerk accountability
- Tills and drop bags automatically traced to a specific user by utilizing bar-coding
- Multiple tills per register/lane
- Configurable user permission levels for equipment access
- Multiple user authentication schemes (log-in and pin, or biometrics)
- Automatic prompting of periodic password changes
- Track monies outside of unit with external vault fund function
- Guided deposit preparation: automatically calculates and moves deposit to courier cassette
- Automatic end of day reporting
- Courier specific log-in menu
- Video troubleshooting tips
- Video guidance for system operation

FEATURE CAPABILITY:

- Ability to Integrate with POS System
- Same Day Credit on Deposit (Provisional Credit)

ELECTRICAL RATINGS:

- 120 VAC
- 60 Hz
- 9A

HARDWARE FEATURES:

- Closed loop architecture of notes and coins; no manual intervention required
- Continuous 24/7 monitoring
- Audit cassette allowing automatic internal validation of any recycling cassette
- Lockable large-capacity deposit cassette accepting up to 7,200 notes
- "Fitness sort" on recycled notes
- Two roll storages with capacity up to 250 notes each to hold escrow and rejected notes, respectively
- Pocket note acceptor handles large bundles of notes (up to 250 notes)
- Flexible note orientation (no need to separate or face notes)
- Scalable – cluster format – up to two (2) note recyclers in dual configurations
- Optional integrated biometrics (fingerprint reader)
- Optional integrated barcode scanner for till check in/out
- Optional integrated drop/storage vault
- Uninterruptible power supply
- Vault - UL 291 business hours rated

SPECIFICATIONS

Physical Characteristics (nominal):	Fortis 4 Notes Dual
Height	60.24" (1,530.07 mm)
Width	41.22" (1,047.00 mm)
Depth (install depth)	39.57" (1,005.00 mm)
Weight (empty)	2,500 lbs (1,134 kg)
Device Configuration:	
Number of Recycle Cassettes	8
Number of Small Recycle Cassettes	0
Number of Deposit Cassettes	2
Number of Audit Cassettes	1
Notes:	
Capacity per Cassette (approximate):	
Recycle Cassette	3,000 notes
Small Cassette	800 notes
Deposit Cassette	7,200 notes
Roll Storages (total)	500 notes
Total Capacity of Notes	38,400 notes
Processing:	
Processing Speed In or Out (max)	10 notes/sec
Recycling Capability (max)	(8) denominations

GLORY | Revolution Retail Systems

FORTIS NOTES 4 DUAL

15.00 [381]

CLEARANCE SPACE

60.32 [1532.07]

(75.32 [1913.07])

20.58 [522.64]   20.58 [522.64]   6.00 [152.40]

(41.21 [1046.81])

3.00 [76.20]

6.00 [152.4] MINIMUM

24.00 [609.60] PREFERRED

18.00 [457.20] PREFERRED

14.50 [368.30] MINIMUM

39.63 [1006.65]

1.55 [39.47]

48.00 [1219.20]

CLEARANCE SPACE

1   SYSTEM MUST BE SECURED TO LEVEL FLOOR.

2   IF THE A/C OUTLET IS NOT LOCATED IN THE INDICATED AREA BEHIND THE UNIT, THIS DIMENSION TO BE A MINIMUM OF 3".
IF THE A/C OUTLET IS LOCATED IN THE INDICATED AREA BEHIND THE UNIT, THIS DIMENSION TO BE A MINIMUM OF 5".

3   IF UPS/AC DISTRIBUTION BOX POWER SWITCH IS ON THE LEFT SIDE OF THE MACHINE, THIS DIMENSION CAN BE MINIMUM 1.00 [25.4] OTHER-
WISE THIS DIMENSION IS MINIMUM 6.00 [154.2].